

# An update bibliography about Latent Markov models

Francesco Bartolucci

Department of Economics, Finance, and Statistics

University of Perugia (IT)

email: bart@stat.unipg.it

December 2, 2012

This is a list of references concerning latent Markov models and related latent variable models for longitudinal data.

## References

- [1] R. M. Altman. Mixed hidden Markov models: an extension of the hidden Markov model to the longitudinal data setting. *Journal of the American Statistical Association*, 102:201–210, 2007.
- [2] R. M. Altman and A. J. Petkau. Application of hidden Markov models to multiple sclerosis lesion count data. *Statistics in Medicine*, 24:2335–2344, 2005.
- [3] T. W. Anderson. Probability models for analysing time changes in attitudes. In The RAND Corporation, editor, *The use of mathematical models in the measurement of the attitudes*. Lazarsfeld P. F., 1951.
- [4] T. W. Anderson. Probability models for analysing time changes in attitudes. In The Free press, editor, *Mathematical Thinking in the Social Science*. Lazarsfeld P. F., 1954.
- [5] G. E. B. Archer and D. M. Titterington. Parameter estimation for hidden Markov chains. *J. Statist. Plann. Inference*, 108:365–390, 2009.
- [6] T. Asparouhov and B. Muthén. Multilevel mixture models. In G. R. Hancock and K. M. Samuelson, editors, *Advances in latent variable mixture models*. Charlotte, NC: Information Age Publishing, 2008.
- [7] D. Ballou, W. Sanders, and P. Wright. Controlling for student background in value-added assessment of teachers. *Journal of Educational and Behavioral Statistics*, 29:37–65, 2004.

- [8] F. Bartolucci. Likelihood inference for a class of latent Markov models under linear hypotheses on the transition probabilities. *Journal of the Royal Statistical Society, series B*, 68:155–178, 2006.
- [9] F. Bartolucci and J. Besag. A recursive algorithm for Markov random fields. *Biometrika*, 89:724–730, 2002.
- [10] F. Bartolucci and A. Farcomeni. A note on the mixture transition distribution and hidden Markov models. *Journal of Time Series Analysis*, page In press, 2010.
- [11] F. Bartolucci, A. Farcomeni, and F. Pennoni. An overview of latent Markov models for longitudinal categorical data. *Technical report available at <http://arxiv.org/abs/1003.2804>*, 2010.
- [12] F. Bartolucci, A. Farcomeni, and F. Pennoni. *Latent Markov Models for Longitudinal Data*. Chapman and Hall/CRC press, 2012.
- [13] F. Bartolucci and A. Forcina. A likelihood ratio test for  $mtp_2$  within binary variables. *Annals of Statistics*, 28:1206–1218, 2000.
- [14] F. Bartolucci and A. Forcina. Likelihood inference on the underlying structure of irt models. *Psychometrika*, 70:31–43, 2005.
- [15] F. Bartolucci and A. Forcina. A class of latent marginal models for capture-recapture data with continuous covariates. *Journal of the American Statistical Association*, 101:786–794, 2006.
- [16] F. Bartolucci, A. Forcina, and V. Dardanoni. Positive quadrant dependence and marginal modelling in two-way tables with ordered margins. *Journal of the American Statistical Association*, 96:1497–1505, 2001.
- [17] F. Bartolucci and M. Lupparelli. The multilevel latent Markov model. In *Proceedings of the International Workshop on Statistical Modelling, Barcelona, July 2007*, pages 93–98, 2007.
- [18] F. Bartolucci, M. Lupparelli, and G. E. Montanari. Latent Markov model for longitudinal binary data: an application to the performance evaluation of nursing homes. *Annals of Applied Statistics*, 3:611–636, 2009.
- [19] F. Bartolucci and V. Nigro. Maximum likelihood estimation of an extended latent Markov model for clustered binary panel data. *Computational Statistics and Data Analysis*, 51:3470–3483, 2007.
- [20] F. Bartolucci and F. Pennoni. A class of latent Markov models for capture-recapture data allowing for time, heterogeneity and behavior effects. *Biometrics*, 63:568–578, 2007.
- [21] F. Bartolucci, F. Pennoni, and B. Francis. A latent Markov model for detecting patterns of criminal activity. *Journal of the Royal Statistical Society, Series A*, 170:151–132, 2007.

- [22] F. Bartolucci, F. Pennoni, and M. Lupparelli. Likelihood inference for the latent Markov Rasch model. In C. Huber, N. Limnios, M. Mesbah, and M. Nikulin, editors, *Mathematical Methods for Survival Analysis, Reliability and Quality of Life*, pages 239–254. London: Wiley, 2008.
- [23] F. Bartolucci, F. Pennoni, and G. Vittadini. Assessment of school performance through a multilevel latent Markov rasch model. *Journal of Educational and Behavioral Statistics*, 36:491–522, 2011.
- [24] F. Bartolucci and I.L. Solis-Trapala. Multidimensional latent markov models in a developmental study of inhibitory control and attentional flexibility in early childhood. *Psychometrika*, 75:725–743, 2010.
- [25] Francesco Bartolucci and Alessio Farcomeni. A Multivariate Extension of the Dynamic Logit Model for Longitudinal Data Based on a Latent Markov Heterogeneity Structure. *Journal of the American Statistical Association*, 104(486):816–831, 2009.
- [26] L. E. Baum, T. Petrie, G. Soules, and N. Weiss. A maximization technique occurring in the statistical analysis of probabilistic functions of Markov chains. *Annals of Mathematical Statistics*, 41:164–171, 1970.
- [27] L.E. Baum and J.A. Egon. An inequality with applications to statistical estimation for probabilistic functions of a Markov process and to a model for ecology. *Bull. Amer. Meteorol. Soc.*, 73:360–363, 1967.
- [28] L.E. Baum and T. Petrie. Statistical inference for probabilistic functions of finite state Markov chains. *Annals of Mathematical Statistics*, 37:1554–1563, 1966.
- [29] A. Birnbaum. Some latent trait models and their use in inferring an examinee’s ability. In F. M. Lord and M. R. Novick, editors, *Statistical Theories of Mental Test Scores*, pages 395–479. Addison-Wesley, Reading, MA, 1968.
- [30] L. Bornmann, R. Mutz, and H.-D. Daniel. Latent Markov modeling applied to grand peer review. *Journal of Informetrics*, 2:217–228, 2008.
- [31] S. Boucheron and E. Gassiat. An information-theoretic perspective on order estimation. In O. Cappé, E. Moulines, and T. Rydén, editors, *Inference in Hidden Markov Models*, pages 565–602. Springer, New York, 2007.
- [32] O. Cappé and E. Moulines. Recursive computation of the score and observed information matrix in hidden Markov models. In *IEEE Workshop on Statistical Signal Processing*, 2005.
- [33] O. Cappé, E. Moulines, and T. Rydén. *Inference in Hidden Markov Models*. Springer-Verlag, New York, 1989.
- [34] Gilles Celeux and Jean-Baptiste Durand. Selecting hidden Markov model state number with cross-validated likelihood. *Computational Statistics*, 23(4):541–564, 2008.

- [35] K. Choi and M. Seltzer. Modeling heterogeneity in relationships between initial status and rates of change: treating latent variable regression coefficients as random coefficients in a three-level hierarchical model. *Journal of Educational and Behavioral Statistics*, 35:54–91, 2010.
- [36] I.B. Collings and T. Rydén. A new maximum likelihood gradient algorithm for on-line hidden Markov model identification. In *IEEE International Conference on Acoustics Speech and Signal Processing*, 1998.
- [37] L. M. Collins and S. E. Wugalter. Latent class models for stage-sequential dynamic latent variables. *Multivariate Behavioral Research*, 27:131–157, 1992.
- [38] A.M. Connell and A.A. Frye. Growth mixture modelling in developmental psychology: Overview and demonstration of heterogeneity in developmental trajectories of adolescent anti-social behaviour. *Infant and Child Development*, 15:609–621, 2006.
- [39] A. P. Dempster, N. M. Laird, and D. B. Rubin. Maximum likelihood from incomplete data via the EM algorithm (with discussion). *Journal of the Royal Statistical Society, Series B*, 39:1–38, 1977.
- [40] P. J. Diggle, P. Heagerty, K.-Y. Liang, and S. L. Zeger. *Analysis of Longitudinal Data*. Oxford University Press, New York, 2002.
- [41] J. Durbin and S.J. Koopman. *Time series analysis by state space methods*. Oxford University Press, Oxford, U.K., 2004.
- [42] C. E. Frangakis and D. B. Rubin. Principal stratification in causal inference. *Biometrics*, 58:21–29, 2002.
- [43] Peter B. Gilbert and Michael G. Hudgens. Evaluating Candidate Principal Surrogate End-points. *Biometrics*, 64(4):1146–1154, 2008.
- [44] H. Goldstein, G. Bonnet, and T. Rocher. Multilevel structural equation models for the analysis of comparative data on educational performance. *Journal of Educational and Behavioral Statistics*, 32:252–286, 2007.
- [45] L. A. Goodman. Exploratory latent structure analysis using both identifiable and unidentifiable models. *Biometrika*, 61:215–231, 1974.
- [46] L. A. Goodman. Latent class analysis. In McCutcheon A. L. Hagenaars J. A., editor, *Applied Latent Class Analysis*, Cambridge, MA, 2002. Cambridge University Press.
- [47] K. Happaney and D. Zelazo. Commentaries: Inhibition as a problem in the psychology of behavior. *Developmental Science*, 6:468–470, 2003.
- [48] J. J. Heckman. Heterogeneity and state dependence. In McFadden D. L. and Manski C. A, editors, *Structural Analysis of Discrete Data*, Cambridge, MA, 1981. MIT Press.

- [49] J.J. Heckman. Simple statistical models for discrete panel data developed and applied to test the hypothesis of true state dependence against the hypothesis of spurious state dependence. *Annales del'INSEE*, (30-31):227–269, 1978.
- [50] J.J. Heckman. The incidental parameters problem and the problem of initial conditions in estimating a discrete time-discrete data stochastic process. In C. Manski and D. McFadden, editors, *Structural Analysis of discrete data*, Cambridge, MA., 1981. MIT press.
- [51] T. Heinen. *Latent Class and Discrete Latent Trait Models: Similarities and Differences*. Sage Publications, Oaks, CA, 1996.
- [52] L. Hoffmann, M. Lehrke, and E. Todt. Development and changes in pupils'interest in physics (grade 5 to 10): Design of a longitudinal study. In M. lehrke, L. Hoffmann, and P. L. Gardner, editors, *Interest in Science and Thecnology Education*, pages 71–80, Kiel, 1985. IPN.
- [53] C. Hsiao. *Analysis of Panel Data*. Cambridge University Press, New York, 2005.
- [54] J.P. Hughes. Computing the observed information in the hidden Markov model using the EM algorithm. *Statistics & Probability Letters*, 32:107–114, 1997.
- [55] D. R. Hyslop. State dependence, serial correlation and heterogeneity in intertemporal labor force participation of married women. *Econometrica*, 67:1255–1294, 1999.
- [56] B.H. Juang and L.R. Rabiner. Hidden Markov models for speech recognition. *Technometrics*, 33:251–272, 1991.
- [57] D. Kaplan. An overview of Markov chian methods for the sutdy of stage-sequential developmental processes. *Developmental Psychology*, 44:457–467, 2008.
- [58] C. Keribin. Consistent estimation of the order of mixture models. *Sankhyā, Series A*, 62:49–66, 2000.
- [59] N. Z. Kirkham, L. Cruess, and A. Diamond. Helping children apply their knowledge to their behavior on a dimension-switching task. *Developmental Science*, 6:449–476, 2003.
- [60] G. Kitagawa. Non-Gaussian state-space modeling of nonstationary time series. *Journal of the American Statistical Association*, 82:1032–1041, 1987.
- [61] H. R. Künsch. State space and hidden Markov models. In D. R. Cox O. E. Barndorff-Nielsen and eds. C. Klüppelberg, editors, *Complex Stochastic Systems*, pages 109–173, Boca Raton, FL, 2005. Chapman and Hall/CRC.
- [62] R. Langeheine. Latent variables Markov models. In A. von Eye and C.C. Clogg, editors, *Latent variables analysis: Applications for developmental research*, pages 373–395, Thousand Oaks, CA, 1994. Sage.

- [63] R. Langeheine and F. van de Pol. A unifying framework for Markov modeling in discrete space and discrete time. *Sociological Methods and Research*, 18:416–441, 1990.
- [64] R. Langeheine and F. Van de Pol. Discrete-time mixed Markov latent class models. In A. Dale and R.B. Davies, editors, *Analyzing Social and Political Change: a Casebook of Methods*, pages 171–197, London, 1994. Sage Publications.
- [65] R. Langeheine and F. van de Pol. Latent Markov chians. In J. A. Hagenaars and A. L. McCutcheon, editors, *Advances in Latent Class Analysis*, pages 304–341. Cambridge University Press, 2002.
- [66] P. F. Lazarsfeld. The logical and mathematical foundation of latent structure analysis. In E. A. Suchman S. A. Stouffer, L. Guttman, editor, *Measurement and Prediction*, New York, 1950. Princeton University Press.
- [67] P. F. Lazarsfeld and N. W Henry. *Latent Structure Analysis*. Houghton Mifflin, Boston, 1968.
- [68] R. Lechner, M.; Miquel. Identification of the effects of dynamic treatments by sequential conditional independence assumptions. *Empirical Economics*, 39:111–137, 2010.
- [69] S. E. Levinson, L. R. Rabiner, and M. M. Sondhi. An introduction to the application of the theory of probabilistic functions of a Markov process to automatic speech recognition. *Bell System Technical Journal*, 62:1035–1074, 1983.
- [70] B. Lindsay, C. Clogg, and J. Grego. Semiparametric estimation in the rasch model and related exponential response models, including a simple latent class model for item analysis. *Journal of the American Statistical Association*, 86:96–107, 1991.
- [71] Thomas A. Louis. Finding the observed information matrix when using the EM algorithm. *Journal of the Royal Statistical Society, Series B: Methodological*, 44:226–233, 1982.
- [72] T. C. Lystig and J.P. Hughes. Exact computation of the observed information matrix for hidden Markov models. *Journal of Computational and Graphical Statistics*, 11:678–689, 2002.
- [73] I. L. MacDonald and W. Zucchini. *Hidden Markov and other Models for Discrete-Valued Time Series*. Chapman and Hall, London, 1997.
- [74] J. Magidson and J. K. Vermunt. Latent class factor and cluster models, bi-plots and related graphical displays. *Sociological Methodology*, 31:223–264, 2001.
- [75] R. B. McHugh. Efficient estimation and local identification in latent class analysis. *Psychometrika*, 21:331–347, 1956.
- [76] G. J. McLachlan and K. E. Basford. *Mixture Models: Inference and Application to Clustering*. Marcel Dekker, New York, 1985.

- [77] G. J. McLachlan and K. E. Basford. *Latent variables models and factor analysis*. Charles Griffin, London, 1987.
- [78] G. J. McLachlan and D. Peel. *Finite Mixture Models*. Wiley, 2000.
- [79] X. Meng and D.B. Rubin. Using EM to obtain asymptotic variance-covariance matrices: the SEM algorithm. *Journal of the American Statistical Association*, 86:899–909, 1991.
- [80] Xiao-Li Meng and Donald B. Rubin. Using EM to obtain asymptotic variance-covariance matrices: The SEM algorithm. *Journal of the American Statistical Association*, 86:899–909, 1991.
- [81] G. Molenberghs and E. Lesaffre. Marginal modelling of correlated ordinal data using a multivariate Plackett distribution. *Journal of the American Statistical Association*, 89:633–644, 1994.
- [82] G. Molenberghs and E. Lesaffre. Marginal modelling of multivariate categorical data. *Statistics in Medicine*, 18:2237–2255, 1999.
- [83] G. Molenberghs and G. Verbeke. Meaningful statistical model formulations for repeated measures. *Statistica Sinica*, 14:989–1020, 2004.
- [84] B. O. Muthén. Latent variable structural equation modelling with categorical data. *Journal of Econometrics*, 22:43–65, 1983.
- [85] B. O. Muthén and K. Shedden. Finite mixture modeling with mixture outcomes using the EM algorithm. *Biometrics*, 55:463–469, 1999.
- [86] D. Nagin. Analyzing developmental trajectories: A semi-parametric, group-based approach. *Psychological Methods*, 4:139–157, 1999.
- [87] D. Nagin and R. Tremblay. Analyzing developmental trajectories of distinct but related behaviors: A group-based method. *Psychological Methods*, 6:18–34, 2001.
- [88] L. J. Paas, J. K. Vermunt, and T. H. A. Bijmolt. Discrete-time, discrete-state latent Markov modelling for assessing and predicting household acquisitions of financial products. *Journal of the Royal Statistical Society, Series A*, 170:955–974, 2007.
- [89] L. J. Paas, J. K. Vermunt, and T. H. A. Bilmolt. Discrete time, discrete state latent Markov modelling for assessing and predicting household acquisitions of financial products. *Journal of the Royal Statistical Society, Series A*, 170:955–974, 2009.
- [90] G. Rasch. On general laws and the meaning of measurement in psychology. In *Proceedings of the IV Berkeley Symposium on Mathematical Statistics and Probability*, volume 4, pages 321–333, 1961.

- [91] F. Rijmen, K. Vansteelandt, and P. De Boeck. Latent class models for diary methods data: parameter estimation by local computations. *Psychometrika*, 73:167–182, 2008.
- [92] T. J. Rothenberg. Identification in parametric models. *Econometrica*, 39:577–591, 1971.
- [93] W. Schneider, R. Schumann-Hengsteler, and B. Sodian, editors. *Young Children’s Cognitive Development: Interrelationships Among Executive Functioning, Working Memory, Verbal Ability, and Theory of Mind*. Lawrence Erlbaum Associates, Mahwah, NJ, 2005.
- [94] S. L. Scott. Bayesian methods for hidden Markov models: Recursive computing in the 21st century. *Journal of the American Statistical Association*, 97:337–351, 2002.
- [95] N.-Z. Shi, S.-R. Zheng, and J. Guo. The restricted EM algorithm under inequality restrictions on the parameters. *Journal of Multivariate Analysis*, 92:53–76, 2005.
- [96] S. Skrondal, A. Rabe-Hesketh. Generalized latent variable modelling: Multilevel, longitudinal and structural equation models. 2004.
- [97] E. A. Stuart. Estimating causal effects using school-level data sets. *Educational Research*, 36:187–198, 2007.
- [98] T. R. Ten Have and A. Morabia. Mixed effects models with bivariate and univariate association parameters for longitudinal bivariate binary response data. *Biometrics*, 55:85–93, 1999.
- [99] D. Todem, K. Kim, and E. Lesaffre. Latent-variable models for longitudinal data with bivariate ordinal outcomes. *Statistics in Medicine*, 26:1034–1054, 2007.
- [100] R. Turner. Direct maximization of the likelihood of a hidden Markov model. *Computational Statistics and Data Analysis*, 52:4147–4160, 2008.
- [101] T. Rolf Turner, Murray A. Cameron, and Peter J. Thomson. Hidden Markov chains in generalized linear models. *The Canadian Journal of Statistics / La Revue Canadienne de Statistique*, 26:107–125, 1998.
- [102] F. Van de Pol and J. De Leeuw. A latent Markov model to correct for measurement error. *Sociological Methods and Research*, 15:118–141, 1986.
- [103] F. van de Pol and R. Langeheine. Mixed Markov latent class models. *Sociological Methodology*, 20:213–247, 1990.
- [104] K. Vansteelandt, F. Rijmen, G. Pieters, and J. Vanderlinden. Drive for thinness, affect regulation and physical activity in eating disorders: a daily life study. *Behaviour Research and Therapy*, 45:1717–1734, 2007.
- [105] J. K. Vermunt, R. Langeheine, and U. Böckenholt. Discrete-time discrete-state latent Markov models with time-constant and time-varying covariates. *Journal of Educational and Behavioral Statistics*, 24:179–207, 1999.



- [106] A.J. Viterbi. Error bounds for convolutional codes and an asymptotically optimum decoding algorithm. *IEEE Transactions on Information Theory*, 13:260–269, 1967.
- [107] L. M. Wiggins. *Mathematical models for the Analysis of Multi-wave Panels*. PhD thesis, Columbia University, Ann Arbor, 1955.
- [108] L. M. Wiggins. *Panel Analysis: Latent Probability Models for Attitude and Behavior Processes*. Elsevier, Amsterdam, 1973.
- [109] J. M. Wooldridge. A framework for estimating dynamic, unobserved effects panel data models with possible feedback to future explanatory variables. *Economics Letters*, 68:245–250, 2000.
- [110] W. Zucchini and P. Guttorp. A hidden Markov model for space-time precipitation. *Water Resources Research*, 27:1917–1923, 1991.